

**To:** Ham, Greg[Ham.Greg@epa.gov]  
**From:** Paterson, Judith A  
**Sent:** Fri 6/19/2015 11:56:08 AM  
**Subject:** RE: Map of homewell samples

OK, that's good news. Thank-you.

Judith Paterson  
Emergency Response Coordinator for Philadelphia District

Food and Drug Administration  
Tel: 215-717-3719  
Mobile: 215-360-6482  
Fax: 215-597-0875  
FDA 24/7 Emergency Reporting: 866-300-4374  
Consumer Complaint Coordinator: 877-689-8073

Product Safety Reporting Portal - drugs, devices, dietary supplements (Medwatch) and Food/Animal Feed (Reportable Food Registry): <https://www.safetyreporting.hhs.gov/>

Information on the Reportable Food Registry:  
<http://www.fda.gov/food/complianceenforcement/rfr/default.htm>  
For FDA's Emergency Response information go to:  
<http://www.fda.gov/EmergencyPreparedness/default.htm>  
Current Recalls for Food/Drugs/Devices/Other FDA regulated products:  
<http://www.fda.gov/Safety/Recalls/default.htm>

**DISCLAIMER:**

This communication is confidential and may be legally privileged. If you are not the intended recipient, (i) please do not read or disclose to others; (ii) please notify the sender by reply mail; and (iii) please delete this communication from your system. Failure to follow this process may be unlawful. Thank you for your cooperation.

**From:** Ham, Greg [mailto:Ham.Greg@epa.gov]  
**Sent:** Friday, June 19, 2015 7:56 AM  
**To:** Paterson, Judith A  
**Subject:** RE: Map of homewell samples

Judy, we received the preliminary homewell sample results last night, and it does not appear that

there was any impact to groundwater from the Miller fire in the four wells and one spring that we tested. I am having ATSDR look at the data this morning. We will be receiving final data from the lab next week, which then has to go through a validation process at our office, so it will be several weeks before the data can be released.

Greg

**From:** Paterson, Judith A [<mailto:Judith.Paterson@fda.hhs.gov>]  
**Sent:** Friday, June 19, 2015 7:52 AM  
**To:** Ham, Greg  
**Subject:** RE: Map of homewell samples

Thank-you Greg!

Judith Paterson  
Emergency Response Coordinator for Philadelphia District

Food and Drug Administration  
Tel: 215-717-3719  
Mobile: 215-360-6482  
Fax: 215-597-0875  
FDA 24/7 Emergency Reporting: 866-300-4374  
Consumer Complaint Coordinator: 877-689-8073

Product Safety Reporting Portal - drugs, devices, dietary supplements (Medwatch) and Food/Animal Feed (Reportable Food Registry): <https://www.safetyreporting.hhs.gov/>

Information on the Reportable Food Registry:  
<http://www.fda.gov/food/complianceenforcement/rfr/default.htm>  
For FDA's Emergency Response information go to:  
<http://www.fda.gov/EmergencyPreparedness/default.htm>  
Current Recalls for Food/Drugs/Devices/Other FDA regulated products:  
<http://www.fda.gov/Safety/Recalls/default.htm>

**DISCLAIMER:**

This communication is confidential and may be legally privileged. If you are not the intended recipient, (i) please do not read or disclose to others; (ii) please notify the sender by reply mail; and (iii) please delete this communication from your system. Failure to follow this process may be unlawful. Thank you for your

cooperation.

**From:** Ham, Greg [<mailto:Ham.Greg@epa.gov>]  
**Sent:** Wednesday, June 17, 2015 12:54 PM  
**To:** Paterson, Judith A  
**Subject:** Map of homewell samples

Judy, attached is a map of the homewell samples that we collected yesterday, with the location of the Miller Chemical Company on it. I will let you know when we get the sample results.

Gregory Ham

On Scene Coordinator

USEPA